

# PLAYGROUND SAFETY INSPECTION

## Generic Equipment Worksheet

(Complete one worksheet for each Component)

**Intended user age:**     2 to 5 years,     5 to 12 years

**Manufacturer** \_\_\_\_\_    **Description** \_\_\_\_\_    **Fall Height** \_\_\_\_\_

Play equipment manufacturers are designing and producing new equipment that is often very different from traditional equipment

**These items must be fairly but thoroughly evaluated.**

They cannot just be declared "non compliant" because they are not specifically described in the present standards.

When in doubt about what the product is, contact the manufacturer for specific installation and descriptive information, then use the appropriate Equipment Requirements

Yes	No	N/A	General
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The structure is installed as per manufacturers Instructions.
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Rung diameter is between .95" and 1.55"
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	All components comply with the requirements listed on the General Worksheet.
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	All components comply with the requirements listed on the Materials Worksheet.
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	All applicable Access / Egress Requirements are met.
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Seats are not hard
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Drainage holes are provided where appropriate.
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The support structure has no designated play surfaces
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<b>Moving Parts</b> ( <i>ASTM F 1487-11 Section 4</i> )
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Hardware in moving joints are secured against unintentional loosening
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Moving suspended elements are connected to the fixed support with bearings or bearing surfaces that serve to reduce friction or wear.
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<b>Use Zone</b>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Minimum 72" in all directions from the perimeter of the unit
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Minimum 72 " between adjacent structures if both are less than 30" high
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Minimum 108" between adjacent structures if one is more than 30" high.
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Part of a composite structure
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Part of a Play Functionally Linked Group
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<b>Overhead Obstructions</b> ( <i>ASTM F 1487-11 Section 9.84</i> )
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The vertical clearance is a minimum of 84" above highest designated play surface or designated height..

**Maintenance Condition:**     Good,     Needs repair

**Priority:**     Priority 1     Priority 2     Priority 3     Compliant

**Comments:**

---



---



---



---



---