

PLAYGROUND SAFETY INSPECTION

Upper Body Equipment Worksheet

Complete one worksheet for each Unit)

Type: Horizontal ladders Chinning Bars Ring Ladders Turning Bar Parallel Bars Others:

Installation: Free standing Deck Mount

Description: _____

Yes	No	N/A	General (ASTM F 1487-11 Section 8.3) (CPSC #325-10 Section 5.3.2.4)	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Hand gripping devices do not twist or rotate	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Rung diameter is between .95" to 1.55" diameter	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The max. horizontal distance from leading edge of landing to first handhold is 10"	Actual _____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The first handhold of either end is not directly over a platform or rung.	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	If access and egress is provided by rungs, the horizontal distance from leading edge of landing to first handhold is a min. of 8" and a max. of 10"	Actual _____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	If overhead rings are suspended by chains, the maximum length is 7"	Actual _____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The maximum distance between the uppermost pivot and the bottom of the handgrip device shall be no greater than 15"	Actual _____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Guardrails and barriers are not required on landing structures for upper body equipment.	
Intended user age 2 to 5 years				
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Horizontal ladders and overhead rings are not recommended for children under 4 years old.	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Maximum height for use by 4 year old users is 60"	Actual _____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Maximum height of landing structure for use by 4 year old users is 18"	Actual _____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Maximum center to center distance between rungs is 12" <i>(Does not apply to Overhead Rings)</i>	Actual _____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Horizontal ladders intended for 4 year old users have rungs that are parallel to one another and evenly spaced.	
Intended user age 5 to 12 years				
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The Maximum height for use by 5 to 12 year old users is 84"	Actual _____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Maximum height of landing structure for use by 5 to 12 year old users is 36"	Actual _____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Maximum center to center distance between rungs is 15" <i>(Does not apply to overhead rings)</i>	Actual _____
Wheelchair users				
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The maximum height for wheelchair users is 54"	
Use Zone (ASTM F 1487-11 Section 9.2. 1)				
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Minimum 72" in all directions from the perimeter of the unit	Actual _____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Minimum 108" between adjacent structures	Actual _____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Part of a composite structure	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Part of a Play functionally Linked Group	

Maintenance Condition: Good, Needs repair
Priority: Priority 1 Priority 2 Priority 3 Compliant

Comments:
